



Cabaçal – Technical Presentation: Targeting multi million ounce gold and billion plus pounds of copper discoveries



This presentation does not constitute or form a part of, and should not be construed as an offer, solicitation or invitation to subscribe for, underwrite or otherwise acquire, any securities of Meridian Mining UK Societas (“Meridian”), nor shall it or any part of it form the basis of or be relied on in connection with any contract or commitment whatsoever.

Readers are directed to the public disclosure of Meridian available under Meridian’s profile on the System for Electronic Document Analysis and Retrieval (“SEDAR”) at www.sedar.com. Information contained in this presentation was believed to be accurate at the time it was posted, but may be superseded by more recent public disclosure of Meridian. Meridian makes no representations or warranties as to the accuracy, reliability, completeness or timeliness of the information in this presentation.


Some of the statements contained in this presentation may be forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, “forward-looking statements”). All statements herein, other than statements of historical fact, are forward-looking statements. Although Meridian believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Meridian cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, but not limited to: capital and other costs varying significantly from estimates; changes in world metal markets; changes in equity markets; that the political environment in which the Company operates will continue to support the development and operation of mining projects; the threat associated with outbreaks of viruses and infectious diseases, including the novel COVID-19 virus; risks related to negative publicity with respect to the Company or the mining industry in general; planned drill programs and results varying from expectations; delays in obtaining results; equipment failure; unexpected geological conditions; local community relations; dealings with non-governmental organizations; delays in operations due to permit grants; environmental and safety risks; and other risks and uncertainties disclosed under the heading “Risk Factors” in Meridian’s most recent Annual Information Form filed on www.sedar.com. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Meridian does not assume the obligation to revise or update forward-looking statements or information that may be contained in this presentation or to revise them to reflect the occurrence of future unanticipated events.

NI 43-101 Technical Report: On March 11, 2022, Meridian published an independent NI 43-101 Technical Report (the “Technical Report”) on its Cabaçal Project Property, Mato Grosso, NW Brazil. The Technical Report was authored by Simon Tear PGeo, EurGeol, H & S Consultants Pty Ltd, and Marcelo Antonio Batelochi, MAusIMM (CP Geo), MB Soluções em Geologia e Mineração Ltda. The Technical Report may be found on the Company’s website at www.meridianmining.co or under the Company’s profile on SEDAR at www.sedar.com. Readers are encouraged to read the entire Technical Report. The qualified person for Meridian’s projects, Dr. Adrian McArthur, B.Sc. Hons., PhD., FAusIMM, CEO and President of Meridian, has verified the technical and scientific contents of this presentation.


Note: All dollar amounts are in US dollars unless otherwise denoted


An aerial photograph of a mining site in a lush green valley. A dirt road winds through the landscape, leading to a construction area with several vehicles, including a white pickup truck and a yellow crane. The background shows rolling hills and a dense forest. The text "Cabaçal Long Sections" is overlaid in large white letters across the center of the image.

Cabaçal Long Sections




Cabaçal has the potential to become a large open pit copper-gold-silver standalone operation






* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHEAST

* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail



SECTION LOOKING NORTHEAST

* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHEAST

Key intercepts:

CD-019 – 62.5m @ 0.6% CuEq – inc 2.5m @ 3.1% CuEq
 & 2.2m @ 3.5% CuEq

CD-013 – 116m @ 0.7% CuEq – inc 8.5m @ 1.9% CuEq


Key intercepts:

CD-114 – 15.5m @ 0.9% CuEq – inc 0.4 m @ 56.8 g/t Au, 0.4% Cu, 4.1 g/t Ag

CD-125 - Pending

CD-080 – 14.3m @ 0.6% CuEq – inc 0.7m @ 3.4% CuEq

* See Meridian Mining UK S News Releases for more detail



SECTION LOOKING NORTHEAST


Key intercepts:
CD-019 – 62.5m @ 0.6% CuEq – inc 2.5m @ 3.1% CuEq & 2.2m @ 3.5% CuEq
CD-013 – 116m @ 0.7% CuEq – inc 8.5m @ 1.9% CuEq
CD-041 – 31.4m @ 1.2% CuEq – inc 10.3m @ 2.2% CuEq

Key intercepts:
CD-008 – 12.2m @ 1.3% CuEq
CD-114 – 15.5m @ 0.9% CuEq – inc 0.4 m @ 56.8 g/t Au, 0.4% Cu, 4.1 g/t Ag


* See Meridian Mining UK S News Releases for more detail



Cabaçal Central Cross Sections



* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-052 - 31.3m @ 1.0% CuEq – inc 8.2m @ 2.7% CuEq


* See Meridian Mining UK S News Releases for more detail



^ SECTION LOOKING NORTHWEST

Key intercepts:
 CD-002 – 22.7m @ 0.8 % CuEq – inc 2.7m @ 2.7% CuEq

* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST


Key intercepts:

CD-003 – 58.6m @ 1.2% CuEq – inc 17.2m @ 3.2% CuEq
 CD-023 – 29.4m @ 0.8% CuEq – inc 9.1m @ 1.5% CuEq
 CD-024 – 44.5m @ 1.1% CuEq – inc 9.8m @ 3.6% CuEq

Key intercepts:

CD-025 – 35.4m @ 1.4% CuEq – inc 4.6m @ 5.7% CuEq
 AMCD-15-005 – 45m @ 1.26% CuEq – inc 28m @ 1.75% CuEq

* See Meridian Mining UK S News Releases for more detail



SECTION LOOKING NORTHWEST

Key intercepts:


CD-041 – 31.4m @ 1.2% CuEq – inc 10.3m @ 2.2% CuEq

CD-045 – 37.2m @ 1.0% CuEq – inc 3.0m @ 12.6 g/t Au

Key intercepts:

CD-068 – 45.0m @ 0.5% CuEq – inc 3.0m @ 2.6% CuEq

* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST


Key intercepts:

CD-029 - 78.1m @ 1.0% CuEq – inc 6.9m @ 2.4% CuEq
 CD-088 – 66.1m @ 1.0% CuEq – inc 34.1m @ 1.6% CuEq

Key intercepts:

CD-098 – 32.9m @ 0.9% CuEq – inc 17.7m @ 1.3% CuEq

* See Meridian Mining UK S News Releases for more detail




^ SECTION LOOKING NORTHWEST

Key intercepts:

CD-005 – 30.7m @ 1.3% CuEq


CD-008 – 12.2m @ 1.3% CuEq

* See Meridian Mining UK S News Releases for more detail



SECTION LOOKING NORTHWEST

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

JUSPD161 – Logged visible gold from 49.02 – 49.56m

JUSPD168 – Logged visible gold from 57.46 – 58.59 & 70.5 - 71.52m

* See Meridian Mining UK S News Releases for more detail



SECTION LOOKING NORTHWEST


Key intercepts:
 CD-112 – Pending
 CD-115 - Pending

Key intercepts:
 CD-116 – Pending


* See Meridian Mining UK S News Releases for more detail



CNWE Cross Sections



* See Meridian Mining UK S News Releases for more detail




^ SECTION LOOKING NORTHWEST

Key intercepts:

CD-086 – 28.8m @ 0.8% CuEq & 9.4m @ 1.8% CuEq

CD-120 - Pending


* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST


Key intercepts:
 CD-071 – 29.5m @ 0.6% CuEq – inc 10.2m @ 1.0% CuEq

* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-054 – 54.4m @ 2.6 g/t Au, 0.4% Cu, 1.7 g/t Ag


CD-095 – 22.8m @ 0.6%CuEq – inc 6.3m @ 1.6% CuEq

* See Meridian Mining UK S News Releases for more detail




SECTION LOOKING NORTHWEST

* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-056 – 4.0m @ 1.6 g/t Au, 0.1% Cu, 0.8 g/t Ag


* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST

Key intercepts:
 CD-064 – QAQC Check

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-106 – 103.3m @ 0.6% CuEq – inc 5.8m @ 4.3% CuEq

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

JUSPD216 – 3.2m @ 237.7 g/t Au, 0.3% Cu

* See Meridian Mining UK S News Releases for more detail




SECTION LOOKING NORTHWEST

Key intercepts:

CD-046 – 11.7m @ 5.7 g/t Au, 0.3% Cu, 1.9 g/t Ag

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-101 – 36.2m @ 1.0% CuEq – inc 7.8m @ 3.9% CuEq

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-074 – 2.8m @ 0.5 g/t Au, 1.1 Cu, and 2.8m @ 1.8 g/t Au, 0.6% Cu

CD-127 - Pending

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-100 – 50.8m @ 1.0% CuEq – inc 15.0m @ 1.78% CuEq

* See Meridian Mining UK S News Releases for more detail




▲ SECTION LOOKING NORTHWEST

Key intercepts:

CD-049 – 26.7m @ 21.5 g/t Au, 0.2% Cu, 1.8 g/t Ag

CD-113 – 64.1m @ 0.8% CuEq – inc 20.5m @ 1.6% CuEq


* See Meridian Mining UK S News Releases for more detail



▲ SECTION LOOKING NORTHWEST

Key intercepts:
 CD-072 – 12.4m @ 16.6 g/t Au, 1.0% Cu, 1.8 g/t Ag
 CD-110 – Pending

* See Meridian Mining UK S News Releases for more detail



SECTION LOOKING NORTHWEST

Key intercepts:

CD-070 – 1.1m @ 4.0% Cu, 0.8 g/t Au, 6.5 g/t Ag

CD-099 – 32.4m @ 1.3% CuEq – inc 15.0m @ 2.3% CuEq


Key intercepts:

CD-108 – Pending


* See Meridian Mining UK S News Releases for more detail

An aerial photograph of a mining site in a lush green valley. The terrain is a mix of grassy hills and dense forest. A prominent feature is a large, reddish-brown dirt road that branches out across the landscape. Several pieces of heavy machinery, including excavators and trucks, are visible at various points along the road. The text 'Historic Sections' is overlaid in large, white, sans-serif font across the center of the image.


Historic Sections




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail



* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




CABAÇAL COPPER-GOLD PROJECT
 Sections from Mason & Kerr 1990
 Compilation Section (ST-240-NW)


* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail



* See Meridian Mining UK S News Releases for more detail




* See Meridian Mining UK S News Releases for more detail



Drill Data





* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-114	-60	45	118.8	ECZ	32.7	0.3	0.2	0.1	0.8	0.0	0.0	13.0
					15.5	0.9	0.1	1.4	0.6	0.0	0.0	53.0
Including					0.4		0.4	56.8	4.1	0.0	0.0	63.9
					14.4	0.6	0.3	0.1	1.5	0.5	0.0	84.0
CD-113	-50	60	166.6	CNWE	64.1	0.8	0.2	1.0	1.0	0.0	0.0	11.1
Including					20.5	1.6	0.0	2.6	0.2	0.0	0.0	14.0
Including					3.0	5.7	0.1	9.4	0.1	0.0	0.0	14.0
and					7.5	1.8	0.0	3.0	0.5	0.0	0.0	27.0
CD-112												
CD-111												
CD-110												

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	From (m)
	Dip	Azimuth	EOH	Zone								
CD-109	-46	47	109.78	SCZ/CCZ	50.7	0.5	0.2	0.6	0.6	0.0	0.0	14.0
Including					11.2	1.8	0.3	2.4	1.8	0.0	0.0	52.1
Including					6.9	2.1	0.1	3.2	0.2	0.0	0.0	52.1
Including					1.1	8.2	0.5	12.7	0.8	0.0	0.0	52.1
					2.5	0.8	0.7	0.2	2.0	0.0	0.0	74.0
					12.3	0.4	0.3	0.1	1.4	0.0	0.0	82.0
CD-108												
				Pending								
CD-107												
				Pending								
CD-106	-48	63	149.8	CNWE	103.3	0.6	0.2	0.6	0.5	0.0	0.0	23.7
Including					3.7	2.0	0.7	2.1	1.9	0.0	0.0	58.4
And					5.8	4.3	0.2	7.0	0.8	0.0	0.0	80.0
And					5.6	1.2	1.0	0.3	2.0	0.0	0.0	113.9
CD-105	-47	60	101.6	CNWE	27.0	0.2	0.2	0.1	0.3	0.1	0.0	44.0
CD-104												
				Pending								
CD-103	-50	60	136.3	CNWE	25.0	0.2	0.2	0.1	0.3	0.0	0.0	28.8
					11.4	0.6	0.3	0.1	2.5	0.6	0.0	89.6
CD-102	-60	45	110.8	SCZ	23.2	0.2	0.2	0.0	0.4	0.0	0.0	19.8
					34.6	0.9	0.2	1.1	0.7	0.0	0.0	52.9
Including					11.5	1.9	0.2	2.8	0.6	0.0	0.0	53.9
CD-101	-49	56	116	CNWE	13.3	0.5	0.5	0.1	0.4	0.0	0.0	23.8
					7.4	0.1	0.0	0.2	0.0	0.0	0.0	42.0
					36.2	1.0	0.2	1.3	0.9	0.0	0.0	54.6
Including					7.8	3.9	0.6	5.4	1.8	0.0	0.0	83.0

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	From (m)
	Dip	Azimuth	EOH	Zone								
CD-100	-50	60	115.4	CNWE	9.9	0.2	0.1	0.1	0.2	0.0	0.0	2.2
					50.8	1.0	0.5	0.8	1.3	0.0	0.0	41.9
Including					15.0	1.8	1.0	1.3	2.5	0.0	0.0	75.2
					2.7	0.2	0.1	0.0	1.9	0.3	0.0	94.8
CD-099	-50	60	94.2	CNWE	32.4	1.3	0.4	1.5	1.0	0.1	0.0	22.6
Including					15.0	2.3	0.5	3.0	0.9	0.0	0.0	30.0
CD-098	-65	45	160.1	SCZ	15.1	0.2	0.2	0.0	0.5	0.0	0.0	39.0
					32.9	0.9	0.6	0.5	2.4	0.0	0.0	66.0
Including					17.7	1.3	1.0	0.5	4.1	0.1	0.0	80.4
					5.0	0.4	0.3	0.1	0.9	0.2	0.0	104.0
					17.7	0.9	0.7	0.3	1.9	0.1	0.0	118.6
CD-097	-60	45	104.89	ECZ	5.5	0.3	0.2	0.0	1.3	0.0	0.0	8.6
					15.2	0.2	0.1	0.1	0.2	0.0	0.0	32.9
					36.7	0.8	0.6	0.2	3.9	0.1	0.0	51.0
Including					11.9	1.6	1.3	0.4	8.9	0.1	0.0	61.8
CD-096	-65	45	178.1	SCZ	7.9	0.3	0.3	0.0	0.8	0.0	0.0	49.5
					22.5	0.4	0.2	0.2	0.4	0.0	0.0	67.0
					34.7	1.1	0.6	0.7	1.9	0.2	0.0	116.0
Including					11.6	2.8	1.4	1.9	4.7	0.6	0.0	139.2
CD-095	-49	57	198.5	CNWE	5.6	0.3	0.2	0.0	0.6	0.0	0.0	14.4
					22.8	0.6	0.4	0.3	3.2	0.0	0.0	33.0
Including					6.3	1.6	1.2	0.6	9.1	0.1	0.0	48.3
					7.5	0.2	0.1	0.0	0.8	0.0	0.0	59.0
CD-094	-67	45	100.3	CCZ	64.3	1.9	0.7	1.9	2.6	0.0	0.0	22.0
Including					19.9	5.5	1.8	6.0	7.7	0.1	0.0	66.5
Including					0.8	87.0	10.0	127.0	77.7	0.3	0.0	81.9

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-100	-50	60	115.4	CNWE								
					9.9	0.2	0.1	0.1	0.2	0.0	0.0	2.2
					50.8	1.0	0.5	0.8	1.3	0.0	0.0	41.9
Including					15.0	1.8	1.0	1.3	2.5	0.0	0.0	75.2
					2.7	0.2	0.1	0.0	1.9	0.3	0.0	94.8
CD-099	-50	60	94.2	CNWE								
					32.4	1.3	0.4	1.5	1.0	0.1	0.0	22.6
Including					15.0	2.3	0.5	3.0	0.9	0.0	0.0	30.0
CD-098	-65	45	160.1	SCZ								
					15.1	0.2	0.2	0.0	0.5	0.0	0.0	39.0
					32.9	0.9	0.6	0.5	2.4	0.0	0.0	66.0
Including					17.7	1.3	1.0	0.5	4.1	0.1	0.0	80.4
					5.0	0.4	0.3	0.1	0.9	0.2	0.0	104.0
					17.7	0.9	0.7	0.3	1.9	0.1	0.0	118.6
CD-097	-60	45	104.89	ECZ								
					5.5	0.3	0.2	0.0	1.3	0.0	0.0	8.6
					15.2	0.2	0.1	0.1	0.2	0.0	0.0	32.9
					36.7	0.8	0.6	0.2	3.9	0.1	0.0	51.0
Including					11.9	1.6	1.3	0.4	8.9	0.1	0.0	61.8
CD-096	-65	45	178.1	SCZ								
					7.9	0.3	0.3	0.0	0.8	0.0	0.0	49.5
					22.5	0.4	0.2	0.2	0.4	0.0	0.0	67.0
					34.7	1.1	0.6	0.7	1.9	0.2	0.0	116.0
Including					11.6	2.8	1.4	1.9	4.7	0.6	0.0	139.2
CD-095	-49	57	198.5	CNWE								
					5.6	0.3	0.2	0.0	0.6	0.0	0.0	14.4
					22.8	0.6	0.4	0.3	3.2	0.0	0.0	33.0
Including					6.3	1.6	1.2	0.6	9.1	0.1	0.0	48.3
					7.5	0.2	0.1	0.0	0.8	0.0	0.0	59.0
CD-094	-67	45	100.3	CCZ								
					64.3	1.9	0.7	1.9	2.6	0.0	0.0	22.0
Including					19.9	5.5	1.8	6.0	7.7	0.1	0.0	66.5
Including					0.8	87.0	10.0	127.0	77.7	0.3	0.0	81.9

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	From (m)	
	Dip	Azimuth	EOH	Zone									
CD-093	-50	60	133.1	CNWE									
					7.0	0.2	0.2	0.1	0.5	0.0	0.0	8.2	
					2.8	1.5	0.4	1.7	2.5	0.0	0.0	58.7	
					4.2	0.2	0.1	0.0	0.5	0.0	0.0	65.9	
					19.5	0.4	0.2	0.4	0.4	0.0	0.0	73.5	
				12.0	0.4	0.3	0.1	1.2	0.1	0.0	0.0	102.0	
CD-092	-90	0	60.1	ECZ									
					11.0	0.4	0.3	0.0	0.8	0.0	0.0	9.0	
					15.9	0.5	0.3	0.3	0.7	0.0	0.0	32.0	
CD-091	-90	0	100.4	CCZ									
					0.5	6.9	6.3	0.4	14.7	0.1	0.0	29.2	
					15.4	0.4	0.3	0.1	1.0	0.1	0.0	41.0	
					7.3	0.2	0.2	0.1	0.2	0.0	0.0	66.0	
					39.2	0.7	0.5	0.2	3.2	0.2	0.0	77.8	
Including				11.5	1.3	1.0	0.4	3.9	0.1	0.0	80.6		
-and				6.1	1.1	0.6	0.2	8.8	0.8	0.0	111.0		
				6.7	0.6	0.4	0.2	1.2	0.1	0.0	134.1		
CD-090	-90	45	100.3	ECZ									
					6.0	0.2	0.2	0.0	0.5	0.0	0.0	17.0	
					25.2	0.9	0.8	0.2	2.4	0.0	0.0	29.2	
					Including	14.6	1.2	1.0	0.3	3.2	0.2	0.0	37.1
					Including	1.5	2.8	2.4	0.6	5.4	0.1	0.0	42.0
Including	3.6	2.6	2.1	0.6	7.8	0.4	0.0	47.3					
CD-089	-50	60	81.0	CNWE									
					3.0	0.3	0.2	0.1	1.8	0.0	0.0	20.0	
					1.0	1.8	0.2	2.6	1.4	0.0	0.0	33.6	
					10.0	0.4	0.3	0.0	1.2	0.0	0.0	51.0	
					3.2	0.4	0.3	0.2	0.7	0.0	0.0	99.0	
				5.3	0.5	0.4	0.1	1.3	0.0	0.0	107.7		
CD-088	-90	0	100.4	CCZ									
					66.1	1.0	0.6	0.6	1.2	0.0	0.0	14.1	
					Including	34.1	1.6	0.9	1.0	1.9	0.1	0.0	45.1
					Including	9.9	2.0	1.2	1.2	2.5	0.1	0.0	59.0
					Including	1.7	3.9	1.8	3.5	3.3	0.0	0.0	64.2
-and	4.8	4.5	2.6	3.1	5.3	0.0	0.0	73.7					

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-087	-90	0	81.0	ECZ	31.4	0.8	0.7	0.2	2.0	0.1	0.0	31.0
Including					13.3	1.6	1.3	0.4	4.0	0.2	0.0	49.1
CD-086	-50	60	124.1	CNWE	30.3	0.2	0.1	0.1	0.4	0.0	0.0	9.0
					28.8	0.8	0.3	0.8	1.5	0.1	0.0	47.7
					9.4	1.8	0.4	2.4	1.7	0.0	0.0	47.7
					17.0	0.3	0.1	0.0	1.1	0.6	0.0	80.0
CD-085	-65	45	137.2	CCZ	86.2	0.5	0.4	0.1	0.9	0.0	0.0	21.0
Including					0.6	1.4	1.0	0.6	2.3	0.1	0.0	54.0
-and					0.5	1.4	1.0	0.5	2.5	0.2	0.0	57.0
-and					0.4	2.5	2.2	0.6	1.7	0.0	0.0	87.5
-and					12.8	1.2	0.8	0.5	3.2	0.1	0.0	94.4
					2.5	0.9	0.5	0.6	1.9	0.1	0.0	114.5
CD-084	-60	45	99.1	CNWE	9.4	0.6	0.3	0.6	0.3	0.0	0.0	18.0
Including					1.1	3.8	1.6	3.7	1.9	0.0	0.0	23.0
					7.3	0.3	0.0	0.0	2.7	0.7	0.3	61.8
CD-083	-50	60	51.8	CNWE	11.0	0.2	0.1	0.1	1.2	0.1	0.1	10.0
					15.0	0.1	0.1	0.0	1.5	0.2	0.1	25.0
CD-082	-50	60	72.4	CNWE	30.4	0.5	0.2	0.2	1.9	0.4	0.2	23.0
Including					4.0	0.5	0.0	0.0	1.1	1.5	0.1	33.0
					3.9	0.5	0.1	0.1	4.3	1.2	0.4	59.3
CD-081	-60	45	139.2	CSE	24.1	0.5	0.5	0.1	1.3	0.0	0.0	90.7
					3.0	0.6	0.4	0.2	3.8	0.2	0.0	118.3

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-080	-50	60	145.5	CNWE	18.0	0.2	0.1	0.0	0.3	0.0	0.0	24.0
					11.7	0.2	0.1	0.1	0.5	0.1	0.0	45.0
					17.7	0.3	0.1	0.4	0.3	0.0	0.0	60.1
					14.3	0.6	0.4	0.4	0.8	0.0	0.0	106.7
Including					0.7	3.4	0.9	4.0	6.4	0.2	0.1	120.4
CD-079	-50	60	106.0	CSE	20.7	0.5	0.3	0.3	0.8	0.0	0.0	68.3
Including					1.1	3.9	0.4	5.6	4.9	0.0	0.0	87.0
CD-078	-50	60	138.1	CNWE	7.0	0.2	0.1	0.0	0.2	0.0	0.0	19.0
					13.2	0.2	0.1	0.2	0.2	0.0	0.0	35.5
					2.6	0.2	0.0	0.2	0.0	0.0	0.0	55.6
					6.0	0.2	0.1	0.0	0.3	0.0	0.0	64.0
					19.7	0.2	0.2	0.1	0.1	0.0	0.0	84.0
					14.9	0.6	0.3	0.4	0.6	0.0	0.0	113.0
Including					4.1	0.8	0.2	1.0	0.1	0.0	0.0	114.3
CD-077	-50	60	131.6	CNWE	17.0	0.2	0.1	0.1	0.2	0.0	0.0	12.0
					23.5	0.2	0.2	0.1	0.1	0.0	0.0	35.0
					0.4	1.2	0.4	1.2	0.5	0.0	0.0	89.0
					10.7	0.5	0.3	0.2	1.0	0.2	0.0	104.0
Including					1.5	1.7	1.3	0.5	2.2	0.0	0.0	107.0
CD-076	-50	45	165.9	CSE	12.0	0.1	0.1	0.0	0.4	0.0	0.0	57.0
					2.0	0.2	0.2	0.0	0.2	0.0	0.0	75.0
					3.0	0.2	0.2	0.0	0.3	0.0	0.0	82.0
					3.3	0.2	0.2	0.0	0.3	0.0	0.0	97.7
					2.3	0.2	0.2	0.0	0.3	0.0	0.0	111.0
CD-075	-70	45	590.8	CW	6.3	0.2	0.2	0.0	1.1	0.0	0.0	461.0
					5.5	0.2	0.1	0.1	0.9	0.2	0.1	495.9

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-074	-50	60	130.1	CNWE	18.3	0.2	0.2	0.0	0.2	0.0	0.0	26.0
					10.0	0.7	0.5	0.1	2.4	0.0	0.0	53.0
					18.9	0.6	0.3	0.5	1.1	0.0	0.0	77.0
Including					2.8	1.4	1.1	0.5	3.3	0.0	0.0	79.2
-and					2.8	1.7	0.6	1.8	1.8	0.0	0.0	88.3
CD-073	-50	45	166.2	CSE	11.8	0.1	0.1	0.0	0.2	0.0	0.0	83.2
					2.5	0.3	0.3	0.0	0.6	0.0	0.0	100.0
					6.0	0.2	0.1	0.0	0.4	0.0	0.0	117.0
					1.3	0.8	0.6	0.2	5.9	0.2	0.0	132.5
CD-072	-50	60	115.11	CNWE	49.0	3.0	0.4	4.3	1.2	0.0	0.0	43.0
Including					12.4	11.0	1.0	16.6	2.8	0.0	0.0	73.0
Including					3.2	39.1	1.4	62.7	5.3	0.0	0.0	79.4
Including					0.6	182.6	3.0	299.1	18.8	0.0	0.2	79.7
CD-071	-50	60	126.6	CNWE	3.0	1.1	0.8	0.4	2.7	0.0	0.0	19.0
					2.0	0.4	0.3	0.2	0.8	0.0	0.0	36.0
					29.5	0.6	0.2	0.7	1.1	0.0	0.0	45.9
Including					10.2	1.0	0.1	1.5	0.3	0.0	0.0	46.6
Including					0.4	8.1	0.0	13.5	0.2	0.0	0.0	46.6
Including					1.4	3.4	0.2	5.6	0.9	0.0	0.0	55.4
CD-070	-50	60	112.0	CNWE	8.0	0.2	0.2	0.0	0.2	0.0	0.0	37.0
					7.0	0.9	0.7	0.2	2.3	0.3	0.1	62.0
Including					1.1	4.5	4.0	0.8	6.5	0.0	0.0	62.5
CD-069	-50	45	100.2	ECZ	7.0	0.5	0.2	0.5	1.0	0.0	0.0	28.0
					32.8	0.5	0.4	0.1	1.6	0.1	0.0	43.0
CD-068	-55	45	112.4	ECZ	45.0	0.5	0.4	0.3	1.0	0.0	0.0	14.0
Including					3.0	2.6	0.5	3.5	1.9	0.0	0.0	34.0
-and					9.1	0.6	0.4	0.1	1.8	0.0	0.0	67.0
					6.9	1.1	0.7	0.2	4.0	0.9	0.0	82.4

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)	
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)		
CD-067	-50	45	99.8	ECZ	4.5	0.5	0.1	0.7	0.6	0.0	0.0	1.5	
					7.3	0.2	0.1	0.0	0.7	0.0	0.0	10.0	
					13.7	0.4	0.3	0.1	1.3	0.0	0.0	30.0	
					8.1	1.1	0.9	0.3	3.7	0.2	0.0	50.4	
CD-066	-69	49	590.6	CW	58.0	0.1	0.1	0.0	4.2	0.1	0.0	332.0	
					Including	0.5	1.8	1.8	0.1	3.0	0.0	0.0	369.1
					7.0	0.1	0.1	0.0	0.9	0.2	0.0	544.0	
CD-065	-50	45	213.8	CS	9.8	0.6	0.5	0.2	2.1	0.0	0.0	125.0	
					CD-064	-55	60	145.0	CNWE	QAQC Check			
CD-063	-50	60	251.5	CW	7.0	0.3	0.3	0.0	0.3	0.0	0.0	96.0	
					4.8	1.7	0.2	2.4	0.8	0.0	0.0	128.8	
					Including	1.8	4.3	0.5	6.3	1.4	0.0	0.0	129.6
CD-062	-90	0	96.7	CCZ	13.6	0.5	0.4	0.0	1.2	0.0	0.0	13.5	
					7.0	2.6	0.1	4.1	0.4	0.0	0.0	31.0	
					33.4	0.8	0.4	0.8	1.5	0.0	0.0	45.0	
					Including	8.5	1.1	0.2	1.6	0.8	0.0	0.0	51.5
					2.1	0.6	0.2	0.6	1.1	0.0	0.0	85.0	
CD-061	-90	0	75.0	ECZ	5.7	0.3	0.3	0.0	0.8	0.0	0.0	8.4	
					7.3	0.2	0.2	0.0	0.8	0.0	0.0	27.1	
					11.5	0.7	0.6	0.2	2.5	0.1	0.0	40.4	
					1.2	1.4	0.5	0.1	3.6	2.7	0.1	56.0	
CD-060	-50	45	99.8	ECZ	37.0	0.5	0.5	0.0	1.8	0.0	0.0	2.0	
					9.5	1.4	0.8	0.7	3.2	0.2	0.0	48.0	
CD-059	-50	45	150.3	Regional	No significant Intersection								

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-058	-70	45	441.1	CW								
					53.5	0.1	0.1	0.0	0.8	0.0	0.0	350.0
Including					0.4	2.0	1.7	0.4	2.6	0.0	0.0	381.0
					0.6	1.3	0.3	0.1	65.6	1.1	1.0	396.0
CD-057	-65	45	126.8	CS								
					3.5	0.1	0.0	0.1	0.1	0.0	0.0	57.0
					7.0	0.1	0.1	0.0	0.3	0.0	0.0	101.0
CD-056	-50	60	150.9	CNWE								
					6.8	0.2	0.1	0.1	0.3	0.0	0.0	18.7
					8.1	0.3	0.0	0.4	0.3	0.0	0.0	32.0
					34.7	0.4	0.2	0.4	0.8	0.0	0.0	58.3
Including					4.0	1.1	0.1	1.6	0.8	0.0	0.0	89.0
					27.9	0.4	0.3	0.1	0.8	0.0	0.0	108.0
CD-055	-89	334	92.8	ECZ								
					15.2	0.5	0.3	0.3	1.4	0.0	0.0	52.4
CD-054	-49	60	186.6	CNWE								
					11.4	0.4	0.2	0.4	0.7	0.0	0.0	8.0
					7.9	0.4	0.2	0.2	0.9	0.0	0.0	23.4
					54.4	2.0	0.4	2.6	1.7	0.0	0.0	44.6
Including					16.5	5.3	1.0	7.2	4.2	0.0	0.0	45.1
	Including				6.5	11.5	1.5	16.6	5.8	0.0	0.0	45.1
					1.2	5.8	2.8	4.8	15.3	0.0	0.0	55.9
-and					10.3	1.3	0.3	1.7	0.7	0.0	0.0	79.7
	Including				1.3	5.2	1.7	5.7	4.3	0.0	0.0	79.7
					1.3	2.4	0.2	3.6	0.6	0.0	0.0	82.7
					2.0	1.3	0.1	2.1	0.1	0.0	0.0	88.0
					15.8	0.3	0.2	0.1	1.2	0.0	0.0	111.3
CD-053	-70	45	217.8	CW								
					Drill Barrel Failure							
CD-052	-89	68	109.3	ECZ								
					1.6	1.6	1.4	0.2	3.0	0.0	0.0	59.3
					31.3	1.0	0.7	0.2	4.2	0.6	0.0	64.2
Including					8.2	2.7	1.7	0.5	11.9	1.9	0.0	86.8
CD-051	-90	0	50.4	ECZ								
					18.7	0.3	0.3	0.0	0.9	0.0	0.0	7.3
					3.5	1.0	0.6	0.2	3.5	0.5	0.1	33.5

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)	
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)		
CD-050	-60	45	73.0	ECZ	18.5	0.3	0.2	0.1	1.2	0.0	0.0	5.5	
CD-049	-50	60	132.3	NWE	53.7	6.8	0.3	10.8	1.3	0.0	0.0	39.0	
Including					26.7	13.1	0.2	21.5	1.8	0.0	0.0	66.0	
Including					8.0	43.3	0.4	71.3	5.1	0.1	0.0	83.0	
CD-048	-90	0	90.2	SCZ	10.0	0.2	0.1	0.0	0.6	0.0	0.0	8.0	
					4.2	0.6	0.5	0.1	1.0	0.0	0.0	31.8	
					23.0	0.6	0.1	0.8	0.3	0.0	0.0	42.0	
					4.8	0.4	0.3	0.1	2.0	0.0	0.0	77.0	
CD-047	-90	0	109.0	SCZ	5.0	0.8	0.7	0.1	2.3	0.1	0.0	38.0	
					15.0	0.9	0.4	0.7	0.8	0.0	0.0	59.0	
					18.5	0.2	0.1	0.1	0.5	0.0	0.0	76.7	
CD-046	-58	68	130.4	NWE	11.7	3.7	0.3	5.7	1.9	0.0	0.0	69.5	
					Including	0.3	10.0	4.0	9.8	12.2	0.0	0.0	69.5
						0.3	14.7	2.0	20.9	13.9	0.0	0.0	71.0
						0.3	110.8	0.5	183.4	30.1	0.0	0.1	75.7
					-and	5.8	0.7	0.4	0.1	3.4	0.8	0.0	99.2
CD-045	-50	45	102.6	ECZ	37.2	1.0	0.4	1.1	1.4	0.0	0.0	1.4	
					Including	3.0	7.7	0.1	12.7	2.4	0.0	0.0	6.0
						6.5	0.9	0.6	0.2	2.1	0.2	0.0	62.0
						1.3	2.5	1.8	0.5	6.3	1.2	0.0	77.7
CD-044	-60	45	74.2	ECZ	27.6	0.3	0.2	0.1	0.7	0.0	0.0	28.0	
CD-043	-60	45	100.6	ECZ	51.2	0.3	0.2	0.1	0.7	0.0	0.0	6.0	
CD-042	-60	45	85.4	ECZ	18.6	0.3	0.2	0.1	0.5	0.0	0.0	0.6	
					5.4	0.5	0.4	0.1	1.5	0.1	0.0	29.0	

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-041	-89	238	115.4	ECZ	9.0	0.3	0.3	0.0	1.0	0.0	0.0	17.0
					6.0	0.3	0.1	0.3	0.5	0.0	0.0	31.0
					31.4	1.2	0.7	0.5	4.5	0.4	0.0	70.0
Including					10.3	2.2	1.6	0.7	9.9	0.1	0.0	82.8
CD-040	-90	0	56.9	CCZ	33.8	0.5	0.3	0.3	0.9	0.0	0.0	11.0
Including					5.3	1.1	0.6	0.7	2.6	0.1	0.0	21.9
CD-039	-90	0	59.9	SCZ	36.2	0.4	0.3	0.2	0.8	0.0	0.0	20.0
CD-038	-60	60	146.3	NWE	18.1	0.7	0.4	0.6	1.6	0.0	0.0	95.9
Including					2.4	3.0	1.4	2.5	5.5	0.0	0.0	95.9
CD-037	-60	45	110.9	ECZ	17.0	0.9	0.6	0.4	3.2	0.1	0.0	51.0
CD-036	-60	60	154.6	NWE	0.6	4.1	1.2	4.7	5.4	0.0	0.0	113.4
					2.0	0.4	0.3	0.2	0.6	0.0	0.0	120.0
CD-035	89	70	112.4	SCZ	19.8	0.3	0.2	0.1	0.9	0.1	0.0	35.0
					8.4	0.5	0.3	0.2	1.2	0.0	0.0	62.9
					4.5	0.5	0.4	0.2	2.8	0.0	0.0	83.0
CD-034	-90	0	91.2	ECZ	17.8	0.9	0.6	0.5	2.3	0.1	0.0	59.3
Including					5.1	1.8	1.2	0.8	4.6	0.1	0.0	72.0
CD-033	-90	0	101.7	CCZ	19.0	0.3	0.2	0.0	0.6	0.0	0.0	9.0
					53.6	0.9	0.4	0.8	2.1	0.0	0.0	36.5
Including					16.1	2.2	0.9	2.0	5.4	0.1	0.0	53.5
CD-032	-90	0	140.6	SCZ	88.0	0.4	0.3	0.1	0.9	0.1	0.0	36.0
Including					5.4	1.1	0.9	0.2	1.9	0.1	0.0	42.8
Including					8.0	1.5	1.1	0.3	3.3	0.7	0.0	115.0

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)	
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)		
CD-031	-89	45	145.2	SCZ									
					26.5	0.4	0.3	0.1	0.6	0.0	0.0	32.1	
					28.1	0.7	0.3	0.5	1.0	0.0	0.0	64.0	
					17.7	1.3	0.6	0.9	2.1	0.4	0.0	110.0	
CD-030	-85	45	89.9	ECZ									
					56.0	0.8	0.4	0.6	1.8	0.0	0.0	7.5	
					Including	21.0	1.7	0.9	1.3	4.0	0.0	0.0	41.5
CD-029	-90	0	154.5	SCZ									
					16.5	0.4	0.3	0.2	0.9	0.0	0.0	42.0	
					71.8	1.0	0.7	0.3	3.1	0.2	0.0	65.0	
					Including	6.9	2.4	2.0	0.5	7.6	0.2	0.0	91.7
CD-028	-90	0	98.2	CCZ									
					60.2	0.6	0.2	0.6	0.9	0.0	0.0	17.6	
					Including	6.0	1.6	0.1	2.4	0.5	0.0	0.0	32.0
					-and	3.5	1.6	0.2	2.3	0.3	0.0	0.0	46.0
CD-027	-90	0	141.6	SCZ									
					8.0	0.4	0.3	0.1	0.8	0.0	0.0	47.0	
					21.3	0.7	0.3	0.6	0.9	0.0	0.0	62.8	
					16.0	0.5	0.3	0.2	1.3	0.3	0.0	96.0	
CD-026	-90	315	136.7	SCZ									
					78.1	0.6	0.4	0.3	1.2	0.1	0.0	33.1	
					Including	2.7	5.2	3.9	1.5	9.4	0.9	0.0	112.0
CD-025	-50	45	156.7	CCZ									
					35.4	1.4	1.1	0.5	4.5	0.1	0.0	106.0	
					Including	3.6	2.6	1.7	1.3	5.5	0.1	0.0	111.9
						4.6	5.7	4.4	1.7	18.2	0.5	0.0	118.7
CD-024	-75	45	170.7	SCZ									
					9.5	0.4	0.4	0.0	1.0	0.0	0.0	50.5	
					44.5	1.1	0.6	0.7	2.0	0.1	0.0	101.5	
					Including	9.8	3.6	1.7	2.8	6.4	0.5	0.1	134.8
CD-023	-75	45	151.5	CCZ									
					5.0	0.2	0.2	0.0	1.0	0.0	0.0	22.0	
					7.0	0.4	0.4	0.0	0.8	0.0	0.0	42.0	
					6.1	0.5	0.4	0.1	1.4	0.1	0.0	77.0	
					29.4	0.8	0.4	0.7	1.1	0.0	0.0	94.0	
					Including	9.1	1.5	0.6	1.4	1.6	0.1	0.0	113.4

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	From (m)
	Dip	Azimuth	EOH	Zone								
CD-022	-89.2	3.7	133.3	CCZ	76.4	0.7	0.5	0.3	1.1	0.0	0.0	11.0
Including					16.8	1.7	1.2	0.6	3.5	0.0	0.0	65.8
CD-021	-87.9	8.3	82.8	ECZ	27.6	1.3	0.8	0.6	3.8	0.1	0.0	35.5
Including					10.7	2.4	1.7	1.0	8.5	0.1	0.0	55.9
-and					1.3	4.4	3.8	0.6	13.6	0.3	0.2	72.7
CD-020	-89.4	50	100.3	ECZ	43.8	0.9	0.6	0.4	2.8	0.0	0.0	27.8
Including					18.9	1.7	1.2	0.7	6.3	0.1	0.0	52.7
-and					7.3	0.4	0.3	0.2	0.9	0.0	0.0	78.7
CD-019	-55	165	174.1	ECZ	62.5	0.6	0.5	0.1	0.8	0.0	0.0	12.0
Including					2.5	3.1	2.9	0.4	4.9	0.0	0.0	20.7
-and					2.2	3.5	2.9	1.0	4.3	0.1	0.0	53.5
-and					31.0	0.4	0.2	0.3	0.1	0.0	0.0	84.0
-and					17.2	1.2	0.8	0.4	3.9	0.1	0.0	130.0
CD-018	-89	272	52.9	ECZ	14.2	0.4	0.3	0.1	0.8	0.0	0.0	9.0
-and					12.4	0.4	0.3	0.3	0.7	0.0	0.0	33.0
CD-017	-89	029	91.4	ECZ	46.0	1.0	0.8	0.3	3.4	0.0	0.0	29.0
Including					9.6	3.3	2.6	0.9	12.2	0.1	0.0	56.0
CD-016	-90	000	87.1	CCZ	14.0	0.3	0.3	0.0	0.7	0.0	0.0	20.0
					26.0	0.5	0.3	0.3	1.4	0.0	0.0	42.5
CD-015	-89	110	86.7	CCZ	20.0	0.2	0.2	0.1	0.7	0.0	0.0	12.0
					15.7	0.5	0.4	0.1	0.7	0.0	0.0	37.0
					30.3	1.0	0.5	0.9	1.5	0.0	0.0	56.4
Including					3.8	1.5	1.3	0.4	1.7	0.0	0.0	43.0
					6.1	1.0	0.4	1.0	1.0	0.0	0.0	67.2
					4.5	3.0	1.0	3.3	4.6	0.1	0.0	77.9

* See Meridian Mining UK S News Releases for more detail




Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-014	-59	060	78.5	CCZ								
					26.4	0.4	0.3	0.2	0.4	0.0	0.0	20.0
					20.5	0.8	0.6	0.3	0.4	0.0	0.0	54.0
Including					6.8	1.2	0.9	0.5	0.7	0.0	0.0	55.6
					3.4	1.0	0.9	0.2	0.5	0.0	0.0	69.2
CD-013	-50	120	132.7	ECZ								
					94.0	0.7	0.6	0.1	1.5	0.0	0.0	8.0
Including					8.5	1.9	1.4	0.5	5.0	0.2	0.0	54.5
					22.5	0.7	0.6	0.2	2.1	0.0	0.0	110.5
Including					5.6	1.6	1.2	0.4	4.8	0.1	0.0	119.2
CD-012	-85	050	106.4	CCZ								
					29.8	0.3	0.3	0.0	0.9	0.0	0.0	23.8
					37.9	0.7	0.5	0.3	1.7	0.1	0.0	59.8
Including					15.2	1.3	0.9	0.5	3.9	0.2	0.0	82.5
Including					2.0	6.7	2.8	6.2	11.3	0.2	0.0	101.6
CD-011	-50	045	112.2	CCZ								
					7.0	0.3	0.3	0.0	0.0	0.0	0.0	11.0
					20.2	0.5	0.3	0.3	0.9	0.0	0.0	46.3
CD-010	-66	040	106	CCZ								
					9.4	0.2	0.2	0.0	0.4	0.0	0.0	12.7
					11.0	1.1	0.3	1.3	0.9	0.1	0.0	25.9
					10.3	0.8	0.5	0.5	2.4	0.0	0.0	47.9
					11.1	0.6	0.4	0.4	0.0	0.0	0.0	65.0
CD-009	-55	330	152.8	SCZ								
					3.0	0.2	0.2	0.0	0.2	0.0	0.0	40.0
					8.0	0.3	0.2	0.0	1.0	0.0	0.0	62.0
					66.1	1.1	0.6	0.8	1.8	0.0	0.0	86.9
Including					2.7	10.0	1.5	14.0	7.0	0.1	0.0	86.9
Including					12.8	2.1	1.7	0.5	5.2	0.1	0.0	139.7
CD-008	-64	035	95.6	ECZ								
					35.0	0.5	0.3	0.2	1.0	0.2	0.0	30.0
Including					12.2	1.3	0.8	0.4	2.5	0.4	0.0	44.8

* See Meridian Mining UK S News Releases for more detail



Hole ID	Drill Data				Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
CD-007	-65	045	115.5	ECZ	35.1	0.6	0.5	0.2	2.2	0.0	0.0	30.3
					2.0	1.0	0.7	0.4	1.6	0.2	0.0	78.3
CD-006	-77	334	193.3	SCZ	7.3	0.4	0.2	0.2	0.8	0.2	0.0	100.4
					17.7	2.4	1.3	1.5	6.1	0.3	0.0	113.0
Including					11.5	3.4	1.9	2.2	8.9	0.3	0.0	118.5
					6.2	1.9	1.5	0.5	5.3	0.1	0.0	156.0
CD-005	-97	045	123.1	ECZ	4.6	0.2	0.1	0.0	0.0	0.0	0.0	18.6
					3.0	0.2	0.1	0.1	0.0	0.0	0.0	33.5
					30.7	1.3	0.9	0.6	4.9	0.1	0.0	38.5
					2.8	1.2	0.9	0.3	5.6	0.1	0.0	75.4
					4.3	0.6	0.3	0.3	1.0	0.1	0.0	82.1
					9.5	0.3	0.2	0.2	0.0	0.0	0.0	94.6
CD-004	-64	331	200.05	SCZ	6.5	0.8	0.6	0.2	2.5	0.1	0.0	114.9
					0.3	13.5	11.5	2.2	55.0	0.7	0.0	119.4
Including					15.9	4.0	3.3	0.7	15.7	0.6	0.0	148.6
					10.2	5.9	4.9	1.0	23.9	0.7	0.0	152.0
CD-003	-75	045	205.5	SCZ	15.0	0.4	0.4	0.0	0.0	0.0	0.0	75.0
					58.6	1.2	0.6	0.9	1.7	0.2	0.0	110.0
Including					17.2	3.2	1.5	2.5	4.7	0.4	0.0	151.4
					22.7	0.8	0.5	0.4	0.7	0.1	0.0	39.7
CD-002	-90	000	95.2	ECZ	2.7	2.8	1.6	1.7	5.3	0.4	0.0	59.7
					23.7	0.8	0.6	0.3	0.7	0.1	0.0	128.0
CD-001	-80	60	189.6	SCZ	11.4	1.2	0.9	0.4	1.2	0.2	0.0	140.3

* See Meridian Mining UK S News Releases for more detail



* See Meridian Mining UK S News Releases for more detail



Hole	Drill Data				Drill Intercept (m)	Grade CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	From (m)
	Dip	Azimuth	EOH	Zone								
JUSPD-029	-60	60	126.6	SCZ								
					3.4	0.8	0.5	0.4	1.2			51.6
					3.5	0.7	0.3	0.7	0.0			61.5
					10.8	0.5	0.4	0.1	0.3			72.2
					34.0	1.0	0.7	0.5	3.3			84.0
Including					3.6	4.8	3.8	1.4	22.5			114.4
JUSPD-114	-90	0	126.0	CCZ								
					9.3	0.3	0.2	0.1	0.1			54.7
					9.2	0.4	0.3	0.1	0.1			65.9
					26.6	0.9	0.4	0.8	1.2			83.8
					1.2	1.4	1.0	0.6	3.8			114.6
JUSPD-127	-86	60	115.0	SCZ								
					3.7	0.3	0.3	0.0	0.5			9.0
					0.7	0.2	0.2	0.0	0.5			20.4
					10.0	0.2	0.2	0.0	0.0			26.0
					19.0	0.6	0.2	0.6	0.2			42.0
					21.0	0.7	0.4	0.4	1.7			64.0
					5.0	0.3	0.2	0.1	1.4			90.0
					7.7	0.3	0.2	0.2	0.4			98.0
JUSPD-135	-90	0	103.7	SCZ								
					2.7	0.2	0.2	0.0	0.1			18.3
					17.0	0.1	0.1	0.0	0.0			26.0
					6.8	4.2	0.4	6.3	0.5			52.0
					6.5	0.6	0.4	0.4	0.2			58.9
					5.0	0.6	0.5	0.2	0.7			67.7
					11.6	0.3	0.1	0.3	0.2			82.0
JUSPD-588	-90	0	53.9	ECZ								
					2.0	0.5	0.4	0.1	0.0			13.8
					10.1	0.5	0.4	0.1	0.0			21.1
					14.0	0.8	0.7	0.2	0.0			34.0
JUSPD-216	-90	0	139.4	CNWE								
					3.2	142.7	0.3	237.7	4.9			27.5
Including					0.4	1003.5	1.1	1672.1	32.8			27.9
JUSPD-596	-83	43.5	163.0	SCZ								
					15.0	7.2	5.2	2.7	9.5	1.2		unknown

* See Meridian Mining UK S News Releases for more detail



Hole	Drill Data				Drill Intercept (m)	Grade						From (m)
	Dip	Azimuth	EOH	Zone		CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	
JUSPD-338	-90	0	100.4	CCZ	1.7	0.5	0.5	0.0	1.9			18.1
					5.6	0.6	0.1	0.9	0.4			35.2
					41.9	1.5	0.9	1.0	2.5			44.0
JUSPD-482	-86	58	142.0	SCZ	13.4	6.6	5.5	1.3	24.7	0.5	0.0	unknown
CAIK-211	-90	0	unknown	SCZ	29.3	8.3	6.0	3.1	28.8	0.7	0.0	unknown
JUSPD-076	-88	50	105.1	CCZ	42.2	1.3	0.9	0.6	3.2			59.8
JUSPD-048	-59	60	126.9	CCZ	20.1	0.3	0.3	0.0				22.0
					17.6	0.4	0.3	0.1				47.4
					40.9	1.1	0.7	0.6				68.4
JUSPD-301	-90	0	70.4	ECZ	29.0	2.5	1.8	1.0	8.8			36.0
JUSPD-119	-88	60	88.0	ECZ	5.6	5.7	1.1	7.7				45.2
JUSPD-222	-90	0	79.3	ECZ	6.4	36.6	0.5	60.1	4.0			47.7
JUSPD-025	-55	60	113.4	ECZ	5.0	52.0	0.7	85.3	10.0	0.1	0.1	71.5
JUSPD-209	-88	60	88.9	CNWE	7.6	1.6	0.7	1.4	1.0			67.2
JUSPD-164	-90	0	95.0	CNWE	1.0	5.7	0.7	8.3	4.0			41.0
JUSPD-199	-90	0	88.2	CNWE	2.9	2.6	0.4	3.7	1.3			46.1
JUSPD-249	-90	0	78.5	CNWE	3.0	3.8	0.3	5.9	0.3			33.0
JUSPD-231	-90	0	102.3	CNWE	3.9	2.3	0.3	3.3	1.0			40.8
JUSPD-008	-60	60	159.4	CNWE	1.7	4.2	2.2	3.3	4.9	0.0	0.0	38.1
JUSPD-215	-90	0	107.8	CNWE	4.6	2.8	1.1	2.9	2.6			71.6

* See Meridian Mining UK S News Releases for more detail



MERIDIAN MINING

Meridian Mining UK S

Investor Contact:

+1 778 715 6410

Corporate Address:

6th Floor, 65 Gresham Street, London
EC2V 7NQ United Kingdom

Dr Adrian McArthur

Chief Executive Officer

Email: amcarthur@meridianmining.net.br

Gilbert Clark

Executive Chairman

Email: gclark@meridianmining.net.br